

Report ID: 340525

Date of sample receipt: 07/12/22

Date of issue: 09/01/23

CERANTOLA S.P.A.

VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV)

ITALIA

Sample name: MILK CHAIR

SAMPLE N° 340525

Overall dimensions: 540 x 560 x 780 (h) mm

List of test reports:

- 1. Seat and back static load test EN 1728:2012+AC:2013
- 2. Vertical load on back rest EN 1728:2012+AC:2013
- 3. Seat and back fatigue test EN 1728:2012+AC:2013
- 4. Seat front edge durability test EN 1728:2012+AC:2013
- 5. Leg forward static load test EN 1728:2012+AC:2013
- 6. Leg sideways static load test EN 1728:2012+AC:2013
- 7. Seat impact test EN 1728:2012+AC:2013
- 8. Back impact test EN 1728:2012+AC:2013



This document is part of a PDF file digitally signed by Paolo Tirelli.

The deputy director
Dr. Paolo Tirelli



SAMPLE N° 340525

Date of issue: 09/01/23

Sample weight: Not determined Sample name: MILK CHAIR



Side view



Bottom view



Rear view



Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 L Membro degli MRA EA, IAF e ILAC

340525 / 1

Revision: 0

 Date of sample receipt:
 07/12/22

 Date of test:
 09/12/22

 Date of issue:
 09/01/23

Sample name: MILK CHAIR



CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Seat and back static load test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Seat and back static load test, clause 6.4, EN 1728:2012+AC:2013

Test results:

Seat load	Back force	Number	Remarks
N	N	of cycles	
1.600	410	10	No defects

Note:


According to EN 1728:2012+AC:2013, back force has been reduced from 560 N to 410 N to avoid tipping.

Seat front edge static load, clause 6.5, EN 1728:2012+AC:2013

Seat load N	Number of cycles	Remarks
1.300	10	No defects

The test results comply with the requirements in clause 5 a), b), c) and d) of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.





Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 L Membro degli MRA EA, IAF e ILAC

TEST REPORT 340525 / 2

Revision: 0

 Date of sample receipt:
 07/12/22

 Date of test:
 09/12/22

 Date of issue:
 09/01/23

Sample name: MILK CHAIR



CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Vertical load on back rest EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Vertical static load on back rest clause 6.6, EN 1728:2012+AC:2013


Test results:

Seat load N	Downwards force N	Number of applications	Remarks
1.300	600	10	No defects

Note:

The test results comply with the requirements in clause 5 a), b), c) and d) of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.





Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 L Membro degli MRA EA, IAF e ILAC

340525 / 3

Revision: 0

Date of sample receipt: 07/12/22
Date of test: 23/12/22
Date of issue: 09/01/23

Sample name: MILK CHAIR



CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Seat and back fatigue test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Seat and back fatigue test, clause 6.17, EN 1728:2012+AC:2013


Test results:

Seat force	e Back force	Number of cycles	Remarks
1.000	300	100.000	No defects

Note:

The test results comply with the requirements in clause 5 a), b), c) and d) of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.





Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 L Membro degli MRA EA, IAF e ILAC

TEST REPORT 340525 / 4

Revision: 0

Date of sample receipt: 07/12/22
Date of test: 02/01/23
Date of issue: 09/01/23

Sample name: MILK CHAIR



CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Seat front edge durability test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Seat front edge durability test clause 6.18, EN 1728:2012+AC:2013

Test results:

Points of application	Seat force N	Number of cycles	Remarks
100 mm back from the front and sides edges	800	50.000	No defects

Note:

The test results comply with the requirements in clause 5 a), b), c) and d) of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.





Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 L Membro degli MRA EA, IAF e ILAC

TEST REPORT 340525 / 5

Revision: 0

Date of sample receipt: 07/12/22
Date of test: 05/01/23
Date of issue: 09/01/23

Sample name: MILK CHAIR



CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Leg forward static load test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Leg forward static load test clause 6.15, EN 1728:2012+AC:2013

Test results:

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
500	1.000	10	No defects

Note:

The test results comply with the requirements in clause 5 a), b), c) and d) of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.





Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 L Membro degli MRA EA, IAF e ILAC

340525 / 6

Revision: 0

Date of sample receipt: 07/12/22
Date of test: 05/01/23
Date of issue: 09/01/23

Sample name: MILK CHAIR



CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Leg sideways static load test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Leg sideways static load test clause 6.16, EN 1728:2012+AC:2013

Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
400	1.000	10	No defects

Note:

The test results comply with the requirements in clause 5 a), b), c) and d) of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.





Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 L Membro degli MRA EA, IAF e ILAC

340525 / 7

Revision: 0

Date of sample receipt: 07/12/22
Date of test: 05/01/23
Date of issue: 09/01/23

Sample name: MILK CHAIR



CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Seat impact test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Seat impact test clause 6.24, EN 1728:2012+AC:2013


Test results:

Mass of impactor kg	Height of drop mm	Impact point	Number of drops	Remarks
25	240	seat loading point (A)	10	No defects
25	240	on the longitudinal axis, 100 mm from the front seat edge	10	No defects

Note

The test results comply with the requirements in clause 5 a), b), c) and d) of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.





Testing site: via Antica, 24/3 33048 San Giovanni al Nat. (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 L Membro degli MRA EA, IAF e ILAC

TEST REPORT 340525 / 8

Revision: 0

Date of sample receipt: 07/12/22
Date of test: 05/01/23
Date of issue: 09/01/23

Sample name: MILK CHAIR



CERANTOLA S.P.A. VIA GIORGIONE 2-ZONA IND.LE 31037 RAMON DI LORIA (TV) ITALIA

Back impact test EN 1728:2012+AC:2013

Test performed according to EN 16139:2013+AC:2013

Back impact test clause 6.25, EN 1728:2012+AC:2013

Test results:

Angle	Mass of impactor kg	Number of cycles	Remarks
38	6,5	10	No defects

Note:

The test results comply with the requirements in clause 5 a), b), c) and d) of EN 16139:2013+AC:2013, level 1.

This test report is part of a PDF file digitally signed by Paolo Tirelli.





CERANTOLA S.P.A.

COLOS

e.mail: info@colos.it - website: www.colos.it

ISTRUZIONI D'USO SEDIA MILK

Al fine di garantire la stabilità e la durata nel tempo dell'articolo, si consiglia di:

- Prima dell'uso assicurarsi che l'articolo sia assemblato correttamente.
- Non rimuovere alcun componente della sedia manualmente o tramite l'utilizzo di utensili.
- Verificare che il prodotto venga utilizzato con la base della struttura metallica appoggiata al pavimento e che lo stesso non consenta scivolamento.
- Non fare oscillare il prodotto durante l'utilizzo.
- Non sedersi sulla spalliera, sui braccioli o sulla tavoletta (se presenti)
- Non salire con i piedi e/o con le ginocchia sulla sedia
- Per spostare l'articolo, evitare il trascinamento.
- Evitare il contatto con fonti di calore.
- Il prodotto non è adatto ad uso esterno, anche se coperto, con struttura cromata.
- Si possono impilare fino a 15 sedie.
- Le sedie vanno movimentate dallo schienale o dai braccioli.

CONSIGLI DI MANUTENZIONE

- I liquidi rovesciati devono essere assorbiti immediatamente con un panno pulito ed asciutto.
- Per le parti in plastica utilizzare sapone neutro.
- Per le parti in metallo non usare detergenti ma solo acqua.
- EVITARE TASSATIVAMENTE l'uso di solventi o di detergenti chimici, poiché potrebbero alterare le caratteristiche estetiche e fisiche dell'articolo.

USO PREVISTO

- Seduta per casa / ufficio
- Seduta per sale attesa
- Seduta per comunità/scuole
- Seduta per ristorazione/ HORECA

CERANTOLA SPA